

Message

---

**From:** Hamjian, Lynne [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=AE94DC8C283D4A09BC7568935CDFC35A-HAMJIAN, LYNNE]  
**Sent:** 11/12/2021 8:18:19 PM  
**To:** Timmermann, Timothy [Timmermann.Timothy@epa.gov]  
**Subject:** RE: Letters, emails and comments related to General Conformity for BOEM projects

Please buzz me if you are still working today. I'll be here until 4:15 ish. Thanks.

---

**From:** Timmermann, Timothy <Timmermann.Timothy@epa.gov>  
**Sent:** Friday, November 12, 2021 1:51 PM  
**To:** Hamjian, Lynne <Hamjian.Lynne@epa.gov>; Rogan, John <Rogan.John@epa.gov>; Rennie, Gary <Rennie.Gary@epa.gov>; Bird, Patrick <Bird.Patrick@epa.gov>; Greene, Cynthia <Greene.Cynthia@epa.gov>  
**Cc:** Timmermann, Timothy <Timmermann.Timothy@epa.gov>  
**Subject:** Letters, emails and comments related to General Conformity for BOEM projects

Lynne:

# Ex. 5 Deliberative Process (DP)

# **Ex. 5 Deliberative Process (DP)**

# Ex. 5 Deliberative Process (DP)

Please contact Gary Rennie ([rennie.gary@epa.gov](mailto:rennie.gary@epa.gov) or (617) 918-1525) with any questions regarding applicability of General Conformity to the proposed project.”

# Ex. 5 Deliberative Process (DP)

tt

Timothy L. Timmermann, Director  
Office of Environmental Review  
EPA New England-Region 1  
5 Post Office Square, Suite 100  
Mail Code 06-3  
Boston, MA 02109-3912

Email: [timmermann.timothy@epa.gov](mailto:timmermann.timothy@epa.gov)  
Telephone: 617-918-1025  
E-Fax: 617-918-0025